EFOY ProEnergyBox 4060P and 4120P



Reliable autonomous power supply for industrial applications



Dependable off-grid power is a challenge in any application, but in industries where the landscape is constantly shifting, the challenge is even greater.

The rugged, purpose-built **EFOY ProEnergyBox** integrates the fuel cell in an insulated IP 43D pelican box including fuel cartridges, battery bank, solar charge controller, power distribution and room for integrating customer equipment.

Portable EFOY ProEnergyBox Hybrid systems are designed to provide approximately 12 months of fuel autonomy, making them ideal for long term autonomous deployments.

The EFOY Pro Hybrid Solutions: what you need to know

- EFOY Fuel Cells are smart energy producers that can continuously and automatically recharge batteries.
- They're based on Direct Methanol Fuel Cell technology, which converts methanol into electricity through a single stage catalytic conversion process.
- When a solar array fails to deliver enough power, the EFOY senses the battery voltage drop and automatically switches on to keep the battery bank charged.
- Once the battery is recharged, the fuel cell returns to standby mode – no maintenance or user intervention required.
- EFOY Pro Fuel Cells support Modbus TCP communications which allows operators to remotely monitor and control the system and schedule fuel replacements.
- EFOY Pro Hybrid solutions deliver 30 50% total cost of ownership savings over alternative off-grid technologies.
- EFOY Pro Fuel Cells are 10 X more efficient, produce up to 99% fewer emissions and only consume 1 - 2% of the volume of fuel vs fuel gas genset technology.



Find more information on efoy-pro.com

ProEnergyBox system design



Guaranteed power availability 24/7/365

EFOY ProEneryBox Spe	CS
----------------------	----

Dimensions (D x W x H) Weight (empty, on stand) Housing

Housing color – standard IP-protection category

Hybrid Power Supply Specs

Solar Panels (subject to design)

Solar Charge Controller Nominal voltage

EFOY Fuel Cell

Temperature range EFOY Fuel Cartridges

Battery capacity @ 24 V / 48 V EFOY Remote Monitoring

Additional space for customer equipment

4060P

1092 x 788 x 737 mm / 43 x 31 x 29 inch

49 kg / 108 lbs

HDPE Pelican Case w/ handles

White

IP 43D Weatherproof

4120P

1118 x 1118 x 915 mm / 44 x 44 x 36 inch

75 kg / 165 lbs

HDPE Pelican Case w/ handles

White

IP 43D Weatherproof

EFOY Pro 900, 1800 or 2800 EFO

Up to 4 x 415 Wp 72 cell solar panels (1660W)

25A or 60A MPPT 12 V or 24 V

-40 °C to +50 °C / -40 °F to +122 °F

Max 2 x M28 (28L) cartridges

 $2 \times 100 \text{Ah} / 150 \text{Ah} 12 \text{ V Sealed AGM batteries}$

Modbus TCP or EFOY Cloud

Yes - DIN rail mounting for small devices

EFOY Pro 900, 1800 or 2800

Up to 4 x 415 Wp 72 cell solar panels (1660W)

25A or 60A MPPT 12 V or 24 V

-40 °C to +50 °C / -40 °F to +122 °F

Max 4 x M28 (28L) cartridges

 $4x\,100Ah$ / $150Ah\,12\,V$ Sealed AGM batteries

Modbus TCP or EFOY Cloud

Yes — DIN rail mounting for small devices


EFOY Pro Hybrid Solutions

Guaranteed power availability 24 / 7 / 365.

Smart, automatic battery charging supplements solar shortfalls.

 $2x\,M28$ fuel cartridges provide 62 kWh of energy autonomy – enough to power a $50\,W$ load for $52\,$ days without any solar input.

Combined with a solar array, the hybrid solution provides approximately 12 months of energy autonomy and superior power reliability.



Certified safety









Authorised, valued-added distributor

Australia & New Zealand





Sydney Head Office 4 Beaumont Road, Mt Kuring-Gai, NSW 2080 Australia



1800 251 380



(⊠) sales@powerbox.com.au





sales@powerbox.co.nz

New Zealand Sales Office

1a Henry Rose Place,

09 4158 320

Albany, Auckland New Zealand 0632

